


DIN-32895-Ø11x35x14,5mm Chain(KG1135A)



Properties & Notes		Tolerances for Total Meters in Production	
Material	Alloy Steel	1,015mt - 29link	Min : 1015mm
Standards for manufacturing and testing	DIN -32895		Max : 1018mm
Breaking Force (BF)	Min 132 kN	5,005mt - 143link	Min : 5005mm
Manufacturing Proof Force (MPF)	85 kN		Max : 5020mm
Working Load Limit (WLL)	Max 33,5 kN	10,010mt - 286link	Min : 10010mm
			Max : 10040mm
Ultimate Elongation (A)	% 10 min	24,990mt - 714-716link	Min : 24990mm
			Max : 25065mm
Bend Deflection (f)	9mm Min	50,015mt - 1429-1433link	Min : 50015mm
			Max : 50165mm
		99,995mt - 2857-2865link	Min : 99995mm
			Max : 100295mm

NOTE : Unless otherwise stated, the tolerances in the table apply. However, for double chain strips, the maximum difference between them should not exceed 0.1%.