



EAN:	4013288188403	Size:	241x95x31 mm
Part number:	05022210001	Weight:	655 g
Article number:	950/9 Hex-Plus Multicolour HF 1	Country of origin:	CZ
		Customs tariff number:	82041100

- Hex-Plus allows socket head screws to live longer
- L-keys with retaining function for hexagon socket screws
- Hexagonal ballpoint on the long arm
- With Take it easy tool finder: colour coding by size
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures

High quality L-key set with colour coded, convenient plastic sleeve. This ensures that the tool is quickly to hand and the ergonomic and pleasant handle is easy on the hands even at low temperatures. The wear-resistant clip material ensures secure storage of the L-keys as well as simple removal. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. The ballpoint on the long arm allows dependable working even in difficult installation situations. The holding function holds screws securely on the tool. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. Laser-engraved and thereby wear-resistant size markings on the L-keys for rapid accessing.

#### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_multicolour\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_hf_1.html)

Wera - 950/9 Hex-Plus Multicolour HF 1  
05022210001 - 4013288188403

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

**L-keys with retaining function for hexagon socket screws**



The clamping of the screw is achieved by a flexible locking ball. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw on the tool.

**Hex-Plus**



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

**Ball tip**



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

**L-keys with a thermoplastic sleeve**



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

**Secure hold and easy removal**



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

**Take it easy tool finder system**



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_multicolour\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_hf_1.html)

Wera - 950/9 Hex-Plus Multicolour HF 1  
05022210001 - 4013288188403

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Set contents:

**950 SPKL L-key Multicolour, metric, 1.5 x 90 mm**



05022600001	1x 1.5 x 90 mm
05022602001	1x 2 x 101 mm
05022604001	1x 2.5 x 112 mm

**950 SPKL HF L-key Multicolour, metric, with holding function, 3 x 123 mm**



05022200001	1x 3 x 123 mm
05022201001	1x 4 x 137 mm
05022202001	1x 5 x 154 mm
05022203001	1x 6 x 172 mm
05022204001	1x 8 x 195 mm
05022205001	1x 10 x 224 mm

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_multicolour\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_hf_1.html)

Wera - 950/9 Hex-Plus Multicolour HF 1  
05022210001 - 4013288188403

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)