

## Bit-Check 30 Wood 1, 30 pieces

Tool sets for wood applications



|                        |                     |                               |              |
|------------------------|---------------------|-------------------------------|--------------|
| <b>EAN:</b>            | 4013288179807       | <b>Size:</b>                  | 145x77x28 mm |
| <b>Part number:</b>    | 05057433001         | <b>Weight:</b>                | 264 g        |
| <b>Article number:</b> | Bit-Check 30 Wood 1 | <b>Country of origin:</b>     | CZ           |
|                        |                     | <b>Customs tariff number:</b> | 82079030     |

- Upright positionable Bit-Checks convince due to their functionality in a minimum of space
- Particularly for wood applications
- Rapidaptor holder for rapid bit change
- Torsion design against premature wear

Robust Bit-Check by Wera. Bit-Checks provide a quick overview of the tools available. Bits not needed are simply reinserted into the set and do not get lost. Simple transportation e.g. in the shirt pocket. Includes universal holder with ring magnet - which very securely holds even heavy screws - and Rapidaptor, which allows bits to be attached without any need to actuate the sleeve. Can be inserted in the power screwdriver or for use in the chuck of the electric drill. Multi-component Bit-Check that can be positioned upright for permanently secure bit storage.

### Web link

[https://products.wera.de/en/tools\\_by\\_trade\\_tool\\_sets\\_for\\_wood\\_applications\\_bit-check\\_30\\_wood\\_1.html](https://products.wera.de/en/tools_by_trade_tool_sets_for_wood_applications_bit-check_30_wood_1.html)

Wera - Bit-Check 30 Wood 1  
05057433001 - 4013288179807

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

#### At the workplace




The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

#### Torsion bits



Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.

#### Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

#### Rapidaptor with ringmagnet



The floating, free-turning magnetic sleeve securely holds even large and heavy screws to enable immediate application. There is no need to hold the screw when applying the tool - something which can be dangerous and painful. Also ideal for overhead work.

#### Web link

[https://products.wera.de/en/tools\\_by\\_trade\\_tool\\_sets\\_for\\_wood\\_applications\\_bit-check\\_30\\_wood\\_1.html](https://products.wera.de/en/tools_by_trade_tool_sets_for_wood_applications_bit-check_30_wood_1.html)

Wera - Bit-Check 30 Wood 1  
05057433001 - 4013288179807

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bit-Check 30 Wood 1, 30 pieces

Tool sets for wood applications



Set contents:

### 887/4 RR Rapidaptor Universal Bit Holder with ring magnet, 1/4" x 57 mm



05052490001

1x 1/4" x 57 mm



### 851/1 TZ bits, PH 2 x 25 mm



05056510001

2x PH 2 x 25 mm

05056525001

1x PH 3 x 25 mm



### 855/1 TH bits, PZ 1 x 25 mm



05056910001

3x PZ 1 x 25 mm

05056915001

6x PZ 2 x 25 mm

05056925001

2x PZ 3 x 25 mm



### 867/1 TZ TORX® bits, TX 10 x 25 mm



05066305001

2x TX 10 x 25 mm

05066308001

2x TX 15 x 25 mm

05066310001

4x TX 20 x 25 mm

05066312001

4x TX 25 x 25 mm

05066315001

2x TX 30 x 25 mm

05066320001

1x TX 40 x 25 mm



#### Web link

[https://products.wera.de/en/tools\\_by\\_trade\\_tool\\_sets\\_for\\_wood\\_applications\\_bit-check\\_30\\_wood\\_1.html](https://products.wera.de/en/tools_by_trade_tool_sets_for_wood_applications_bit-check_30_wood_1.html)

Wera - Bit-Check 30 Wood 1  
05057433001 - 4013288179807

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)