

## 867/4 Z TORX® B0 bits with bore hole, TX 27 x 70 mm

Bits for Tamper-proof TORX® B0 Screws with safety pin



|                        |                  |                               |           |
|------------------------|------------------|-------------------------------|-----------|
| <b>EAN:</b>            | 4013288026927    | <b>Size:</b>                  | 70x7x6 mm |
| <b>Part number:</b>    | 05060144001      | <b>Weight:</b>                | 15 g      |
| <b>Article number:</b> | 867/4 Z TORX® B0 | <b>Country of origin:</b>     | CZ        |
|                        |                  | <b>Customs tariff number:</b> | 82079030  |

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

### Web link


[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_tamper-proof\\_torx\\_bo\\_screws\\_with\\_safety\\_pin\\_867\\_4\\_z\\_torx\\_bo.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html)

Wera - 867/4 Z TORX® B0  
05060144001 - 4013288026927

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for Tamper-proof TORX® B0 Screws with safety pin

## TORX® with borehole (B0)







TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® B0 tools allowing safety screws to be unfastened.

## Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

## Further versions in this product family:

|                    |  | <br>mm | <br>inch | <br>mm |
|--------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 05060139001        | TX 8                                                                                | 70                                                                                        | 2 3/4"                                                                                        | 3.0                                                                                         |
| 05060048001        | TX 8                                                                                | 89                                                                                        | 3 1/2"                                                                                        | 3.0                                                                                         |
| 05060049001        | TX 9                                                                                | 89                                                                                        | 3 1/2"                                                                                        | 3.0                                                                                         |
| 05060140001        | TX 10                                                                               | 70                                                                                        | 2 3/4"                                                                                        | 4.0                                                                                         |
| 05060050001        | TX 10                                                                               | 89                                                                                        | 3 1/2"                                                                                        | 4.0                                                                                         |
| 05060141001        | TX 15                                                                               | 70                                                                                        | 2 3/4"                                                                                        | 4.0                                                                                         |
| 05060051001        | TX 15                                                                               | 89                                                                                        | 3 1/2"                                                                                        | 4.0                                                                                         |
| 05060142001        | TX 20                                                                               | 70                                                                                        | 2 3/4"                                                                                        | 4.5                                                                                         |
| 05060052001        | TX 20                                                                               | 89                                                                                        | 3 1/2"                                                                                        | 4.5                                                                                         |
| 05060143001        | TX 25                                                                               | 70                                                                                        | 2 3/4"                                                                                        | 6.0                                                                                         |
| 05060053001        | TX 25                                                                               | 89                                                                                        | 3 1/2"                                                                                        | 6.0                                                                                         |
| <b>05060144001</b> | <b>TX 27</b>                                                                        | <b>70</b>                                                                                 | <b>2 3/4"</b>                                                                                 | <b>6.0</b>                                                                                  |
| 05060057001        | TX 27                                                                               | 89                                                                                        | 3 1/2"                                                                                        | 6.0                                                                                         |
| 05060145001        | TX 30                                                                               | 70                                                                                        | 2 3/4"                                                                                        | 6.0                                                                                         |
| 05060054001        | TX 30                                                                               | 89                                                                                        | 3 1/2"                                                                                        | 6.0                                                                                         |
| 05060146001        | TX 40                                                                               | 70                                                                                        | 2 3/4"                                                                                        | -                                                                                           |
| 05060056001        | TX 40                                                                               | 89                                                                                        | 3 1/2"                                                                                        | -                                                                                           |

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_tamper-proof\\_torx\\_bo\\_screws\\_with\\_safety\\_pin\\_867\\_4\\_z\\_torx\\_bo.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html)

Wera - 867/4 Z TORX® B0  
05060144001 - 4013288026927

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

867/4 Z TORX® B0 bits with bore hole, TX 27 x 70 mm

Bits for Tamper-proof TORX® B0 Screws with safety pin



**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_tamper-proof\\_torx\\_bo\\_screws\\_with\\_safety\\_pin\\_867\\_4\\_z\\_torx\\_bo.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html)

Wera - 867/4 Z TORX® B0  
05060144001 - 4013288026927

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)