

## Product information

# 70 02 160

## Diagonal Cutter

DIN ISO 5749



- [Narrow head style for use in confined areas](#)
- With elongated cutting edge
- With comfort handles: consisting of three ergonomic components for optimized handling and equipped with two KNIPEXtend interfaces for extensions
- The indispensable diagonal cutter for all-round use
- High-quality material and precise workmanship for long service life
- Precision cutting edges for soft and hard wire
- Clean cutting of thin copper wires, also at the cutting edge tips
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 61 HRC

### General

|                                 |                         |
|---------------------------------|-------------------------|
| Part No.                        | 70 02 160               |
| EAN                             | 4003773034032           |
| pliers                          | black atramentized      |
| Head                            | polished                |
| Handles                         | with comfort handles    |
| Weight                          | 206 g                   |
| Dimensions                      | 160 x 55 x 21 mm        |
| Standard                        | DIN ISO 5749            |
| REACH compliant                 | does not contain SVHC   |
| RoHS compliant                  | not applicable          |
| Carbon footprint (PCF)          | 390 g CO <sub>2</sub> e |
| Proportion of recycled material | > 90 %                  |

### Technical details

|                                                |          |
|------------------------------------------------|----------|
| Cutting capacities soft wire (diameter)        | Ø 4.0 mm |
| Cutting capacities medium hard wire (diameter) | Ø 3.0 mm |
| Cutting capacities hard wire (diameter)        | Ø 2.0 mm |

technical change and errors excepted



