

Kramp Anti Spatter Spray

AS02400KR

Kramp Anti Spatter Spray contains no silicone and is used to clean welding nozzles and to keep them clean. At the same time, it protects the work piece to be welded against the effect of weld splashes without impairing the welding seam.

Application:

Kramp Anti Spatter Spray prevents the adhesion of welding splashes on gas nozzles and workpiece surfaces, offers gap-free protection for the welding process, and makes follow-up cleaning of the workpieces with a spatula, brush or chisel superfluous. Post-treatment of the workpiece such as: bronzing, galvanization, anodizing, or painting is possible without special cleaning. Cleaning, for example, with Anti-spat, may be necessary solely in the case of excessive spraying.

Consistence	Liquid
Volatile Organic Compounds (VOC)	90%
Flashpoint	<20°C
Viscosity (20°C)	1 mPa.s
Solubility in water	Insoluble
Density	0,875 g/mL

Instructions:

Bring the product on the weld seam before welding. Let it dry for a few minutes.

Packaging & shelf life

Shelf life: 3 years in unopened packaging in a cool and dry storage place at temperatures between +5°C and +25°C

Color: Transparent

Packaging: 400 ml aerosol

Health and safety recommendations:

Use only in well-ventilated areas. In case of contact with eyes, wash immediately with plenty of water.

CAUTION: The product is flammable when it's sprayed. Only use it before welding after drying.

Technical datasheet**Kramp Anti Spatter Spray**

This technical data sheet replaces all previous versions. The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. It is general in nature and does not constitute any liability. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. Since the design, the quality of the substrate and processing conditions are beyond our control, no liability under this publication is accepted. It is the responsibility of the user to determine by his own tests whether the product is suitable for the application. In every case it is recommended to carry out preliminary experiments. The manufacturer reserves the right to modify products without prior notice.

Kramp Groep B.V.

Breukelaarweg 33

7051 DW Varsseveld

P.O. Box 73, 7050 AB Varsseveld

T +31 (0)315 - 254 299

F +31 (0)315 - 254 399

I www.kramp.com

IBAN BE26734044195229

SWIFT/BIC KREDBEBB

VAT NL005435511B09

KvK 09219396