

Kramp Carburettor spray

CS02400KR

Kramp Carburettor spray is a cleaning product to remove dirt and deposits in the air intake manifold, on the throttle valve and on the visible carburetor parts.

Application:

- In the air intake system of petrol injection and carburettor engines
- On visible carburetor parts (air ducts, adjusting screws, outer parts)
- On throttle and choke

Base	Organic solvents
Consistence	Liquid
Volatile Organic Compounds (VOC)	100%
Flashpoint	<20°C
Viscosity (20°C)	1 mPa.s
Solubility in water	Insoluble
Density	0,863 g/mL
Propellant	Propane

Characteristics:

- Strong solvent dissolves very quickly and removes dirt.
- Strong powerful jet spray to support the cleaning effect.
- Cleans carburetor and air intake system without dismantling.
- Dissolves gum, varnish and deposits.

Packaging & shelf life

Shelf life: 3 years in unopened packaging in a cool and dry storage place at temperatures between +5°C and +25°C

Colour: Transparent

Packaging: 400 ml aerosol

Instructions:

Shake can well. Spray sufficient product on the parts to be cleaned and let it work for a few seconds. Make sure there is sufficient ventilation when using the product.

Kramp Groep B.V.

Breukelaarweg 33

7051 DW Varsseveld

P.O. Box 73, 7050 AB Varsseveld

T +31 (0)315 - 254 299

F +31 (0)315 - 254 399

I www.kramp.com

IBAN BE26734044195229

SWIFT/BIC KREDBEBB

VAT NL005435511B09

KvK 09219396

Health and safety recommendations:

Use only in well-ventilated areas. In case of contact with eyes, wash immediately with plenty of water.

Technical datasheet

Kramp Carburettor spray

This technical data sheet replaces all previous versions. The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. It is general in nature and does not constitute any liability. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. Since the design, the quality of the substrate and processing conditions are beyond our control, no liability under this publication is accepted. It is the responsibility of the user to determine by his own tests whether the product is suitable for the application. In every case it is recommended to carry out preliminary experiments. The manufacturer reserves the right to modify products without prior notice.

Kramp Groep B.V.

Breukelaarweg 33
7051 DW Varsseveld

P.O. Box 73, 7050 AB Varsseveld

T +31 (0)315 - 254 299
F +31 (0)315 - 254 399
I www.kramp.com

IBAN BE26734044195229
SWIFT/BIC KREDBEBB
VAT NL005435511B09
KvK 09219396