



**ELECTRONIC WATER PRESSURE SYSTEM** 














We conceived e.sybox according to our idea of ergonomic technology\* and we have developed it enclosing and expressing all the DAB technological know-how based on 37 years of experience in the mechanics and electronics sector.

A new PATENTED milestone of DAB evolution.

The result is a system, the only one of its kind, efficient, compact, easy to use and satisfactory for the installer as well as the final user.

Thanks to these features, the e.sybox is the most evolved ergonomic system in the world in the field of water pressurization for domestic and residential use.



PRODUCT EVOLUTION

JET AQUAJET

SMART PRESS

ACTIVE EI

**EUROINOX AD** 













# ERGONOMIC TECHNOLOGY



2013









- \*Ergonomic technology is characterised by a high level of usability, which may be expressed by means of the following dimensions: the ease of installation
  - the ease of learning to operate
  - the system
  - a satisfactory use



















e.sybox is, first of all, an integrated electronic system equipped with inverter technology; each component has been developed to give maximum performance with minimum effort, bringing innovation to the service of simplicity.

All this is enclosed inside a "case" with its typical Italian design.





**ENERGY SAVING GRAPH** 



Thanks to the Inverter technology,

e.sybox draws the energy necessary

according to the water requirements,

thereby avoiding futile wastes and

allowing considerable economic sa-

**INVERTER ELECTRONIC** 

#### **SENSORS**

The new compact electronic pressure transducer with built-in temperature sensor developed by DAB, together with the flow sensor, both positioned on the pump delivery, send the necessary signals to the board for proper control of the system.



### INTERNAL HYDRAULIC CONNECTIONS

Designed to minimise the dimensions, ensure compactness of the system and make maintenance easy.



### **EXPANSION TANK**

Integrated in the system, it has a 2-litre capacity and is certified for drinking water. Comes with a 5-year guarantee, no maintenance required.



**BOARD** 

vings.

## EFFICIENT AND INTEGRATED




2013


















VERTICAL INSTALLATION

The features and design of the e.sybox make the system easily adaptable to any type of installation.

Horizontal or Vertical, in a ventilated room or in a recess, any setting will be perfect for making the best possible use of the e.sybox, which ensures a reduction of at least 30% of the dimensions as compared to any other traditional system.









#### **EXTERNAL CONNECTIONS**

Covered with caps fitted with gasket. Easy to remove, the suction and delivery of the system to be used can be easily selected, depending on the installation.



#### **DISPLAY**

LCD 70x40 mm high-resolution adjustable for easy reading in the various installations. The user-friendly interface makes it possible to access all the information and customise the main settings according to the specificity of the application.



#### TECHNICAL COMPARTMENT

Allows easy access to the rotor shaft, vertical filling plug and expansion tank. It is also a practical housing for the maintenance tools and user's guide, functional for using the system.



### COMPACT AND VERSATILE



2013





#### **MOTOR**

New water-cooled motor highly resistant to corrosion. Makes it possible to install the system in a recess.



### CHECK VALVE AT THE DELIVERY

Allows horizontal as well as vertical installation of the system. It can be easily removed to facilitate maintenance




#### PROTECTION OF THE WATER IN THE SYSTEM FROM FREE-ZING (ANTI FREEZE)

e.sybox is provided with a protection device which prevents the formation of ice inside, by activating the pump in case the temperature falls below values approaching freezing point.











Every detail of the e.sybox is carefully designed to ensure the levels of comfort which fix new reference standards for the sector.

Just connect the e.sybox to the power socket to have all the water required, when it is required.

The noise perceived as well the vibrations are reduced to the minimum and the system is whisper-silent only 45 dB in standard use.









#### **HYDRAULICS**

Multi-stage self-priming up to 8 m.



#### **MOTOR**

The new water-cooled motor eliminates noise generated by the traditional cooling fans.



#### **INVERTER**

The new variable-speed electronics ensures constant pressure in relation to the flow rate. The systems with inverter technology make less noise compared to the traditional on/off systems because they regulate the motor rpm according to requirements and are also equipped with gradual startup and switch off.



## SILENT AND COMFORTABLE



2013





#### **ENCLOSURES**

Made of ABS material, enclose the system, with protective and sound-proofing function.



#### **ANTIVIBRATION FEET**

Ensure effective absorption of vibrations, making the e.sybox even more silent and comfortable. They are designed for horizontal and vertical installation of the system









