

DATASHEET
CEMO Battery storage cabinet 8/10, with feet

Order number: 12106

DESCRIPTION

- Fireproof and explosion-proof cabinet, designed specifically for the storage of lithium-ion batteries. Tested and inspected in compliance with VDMA specification 24994:2024-08
- Patented LockEX pressure relief system



Product front view closed



Product closed, diagonally from the left



TECHNICAL DATA

Medium	Lithium batteries
Dimensions (l x w x h)	81 x 58 x 111 cm
Internal dimensions (l x w x h)	73 x 53 x 91 cm
Weight	142 kg
Package Weight	164 kg
TÜV Nord Certification	44 780 23136701
Installation Location	indoor
Material	non-combustible building material
Coating	HPL (high pressure laminate)
Container Colour	grey
Door Colour	orange
Operating Voltage	- / -
Maximum power	- / -
Frequency	without
Permissible Energy	6320 Wh
Load Capacity per Storage Level	30 kg / Level
Stackable	2-high
Forkliftable	Yes

Permissible Energy Per Storage Level	1580 Wh
Warranty in years	0,00
Assembly condition	mounted

EQUIPMENT

Feet/Castors	Stapelfüße
Number of Doors	2
Door Model	double hinged doors
Door Lock Type	T-handle with 2 point locking
Mechanical Ventilation	no
Door Contact Switch	no
Number of Power Sockets	without
Volt-Free Contact	no
Storage Levels	4
Number of Shelves	3
Shelf Material	powder-coated steel
Smoke Detector	battery-powered
Display	no
Warning Signal	audible
Alarm Transmission	no
Vermiculite	no

SUITABLE MEDIA

Lithium Battery

LOGISTICS

Package dimensions	120 x 80 x 126 cm
Units per box	1.00
Pallet Dimensions	120 x 80 x 126 cm
Pallet weight	164 kg


APPROVAL



VDMA standard sheet
24994:2024-08



ACCESSORIES



11345 - Fireproof
cable entry

11561 -

[Link to product](#)

